
High Definition See it for yourself







The portable field strength meter for **HD**

MPEG4 / H.264 Decoder

You can watch High Definition and Standard Definition programmes directly on the display whether compressed in MPEG 2 or MPEG 4 / H.264.



HDMI Output Connection

The **HDMI** connection provides compatibility with HDTV equipment to assess the quality of a high definition picture. It is also very useful to carry out checks directly on the client's TV, which helps to identify incidences easily.

TS-ASI (Input / Output)

TS-ASI connectivity makes it easy to monitor and analyse transport streams coming from other equipment or to transfer the received transport stream to other equipment


Encrypted Services



Decode and visualise encrypted channels through the CAM interface



HDTV decoder and information



Spectrum analyser



Measurement screen



Constellation diagram





| | zer zer zer | | | |
|--|------------------|------------------|------------------|------------------|
| | WEXPLORE | TV EXPLORE | ER TV EXPLORE | TV EXPLOR |
| LCD size and aspect ratio Transflective LCD screen | 6.5" (16:9) | 6.5" (16:9) | 6.5" (16:9) | 5.5" (4:3) |
| DVB-S Satellite DVB-S2 Satellite HD DVB-C Cable DVB-H mobile TV Analogue TV | 7 7 7 7 | V V V | 7 7 7 7 | ✓ ✓ ✓ |
| Constellation Diagram MER by carrier measurement Merogram and Spectrogram | ✓ | ✓ ✓ ✓ | | |
| AUTO ID (auto identification) and EXPLORER (band scanning) Spectrum analyser Automatic reference level in Spectrum Analyzer mode Reports & Automatic Internet updates Echoes detection Satellite IF test Cable TV: Return path (5 MHz) Cable TV: 1 GHz | 5 or 10 dB/DIV | 5 or 10 dB/DIV | 5 or 10 dB/DIV | 10 dB/DIV |
| Encrypted channels (common interface) Video stream recorder and player Spectrum / Constellation / Measurements screen capture MPEG-4 decoder H.264 Input/Output ASI-TS connection HDMI Output connection | ✓ ✓ ✓ ✓ | ✓ ✓ ✓ | | |
| NetUpdate 3 software Transport case | free included | free included | free included | free optional |

Please visit www.promaxelectronics.com to get more information or your local distributor:



